

# PRODUCT INFORMATION

## DUST SHIELD PRO™ EXTENDABLE POLES

Dust Shield PRO™ is the innovative system that makes constructing temporary walls to control dust and heat loss, quick, simple and affordable. The locking head ensures that screening will not slip; and the dent resistant poles, with patented micro-adjust handles, are designed to stand up to the toughest conditions. Once done, the Dust Shield PRO™ pole compacts for easy storage. They are available in 10, 12 and 20 ft.



Reusable



Heavy Duty



### FEATURES

- Makes constructing temporary walls quick and affordable
- Heavy gauge aluminum prevents dents
- Locking head ensures that poly sheeting will not slip out
- Adjustable poles are available in 10, 12 and 20ft.
- 360 degree swivel foot for use on flat and angles ceilings
- Custom printed bags available
- Micro adjust feature increases tension against the ceiling

### APPLICATIONS

- Construction
- Remodeling
- Dust Containment
- Drywall
- Painting
- Temporary Protection



### PRODUCT SPECIFICATIONS

Thickness	n.a.
Bulk Material	Aluminum
Head/Foot Material	Plastic/Rubber
Tensile Strength	n.a.
Temperature (Ideal)	70° F
Humidity (Ideal)	50%
Elongation	n.a.
Chemical Name	n.a.
Chemical Family	n.a.
Chemical Formula	Proprietary
Trade Name	Dust Shield PRO Poles
Material Use	Surface Protection/Dust Containment

### AVAILABLE SIZES

DSPRO10	Silver Poles	adjust up to 10ft	6 lbs.
DSPRO2	Red Poles	adjust up to 12ft	8 lbs.
DSPRO20	Red Poles	adjust up to 20ft	12 lbs.

### INSTRUCTIONS

Remove items from box. Attach the foot and head to the bottom and top of poles. Attach plastic sheeting into the head portion of the pole. Slide the lever forward to lock the plastic sheeting in place. Twist and raise the pole while moving it into position. Tuck plastic sheeting under the foot of the pole. Twist the pole counter clockwise to tighten.

### HANDLING AND STORAGE

Store at room temperature, protect as needed.

### SAFETY

SDS for Surface Shields products available by request.

*The information in this document was obtained from sources which we believe reliable. The information is provided without any warranty expressed or implied regarding its correctness. We do not assume responsibility for loss, damage or expense in any way connected with the handling, storage, use or disposal of the product.*

© 2017 Surface Shields, Inc. All rights reserved. Product names & attributes trademark of Surface Shields, Inc. where applicable.

7102.70

### CORPORATE OFFICE

10457 163RD PLACE  
ORLAND PARK, ILLINOIS 60467

P 844 4NO MESS  
F 708 226 9817



[surfaceshields.com](http://surfaceshields.com)